

SCHOTT® Wound Fiber Bundles

Ruggedized Flexible Imaging Applications



Typical Bundle Specifications

Quality Area:	1.8 x 1.8 mm ² – 38 x 33 mm ² with custom capabilities
Format Size:	2 mm x 2 mm up to 40 mm x 35 mm
Single Fiber Size:	60 x 60 µm, 10 µm elements, 6 x 6 array
Numerical Aperture:	0.63
Resolution*:	Approx 45 lp/mm
Transmission:	40% @ 500 nm – 1200 nm
Bending Radius:	Determined by bundle diameter and sheathing
Temperature Resistance:	-40 °C to +125 °C (-40 °F to +257 °F)
Chemical Resistance:	Select sheathing resistant against oil, grease, bases acid, fuel, water and PVC
Color of cable:	Black (Other sheathings upon request)
Weight of cable:	Determined by bundle diameter and sheathing
<ul style="list-style-type: none">• Resolution Measurement performed with an 1951 USAF Resolution Target using diffuse white light illumination. Resolution may vary with other wavelengths.• We can also supply objectives and relay lenses.	

Performance Characteristics

Wound Fiber Bundles are coherent, flexible fiber optic bundles used in applications where images must be transferred from remote locations over a long length. These bundles are used in a wide range of markets, including industrial remote vision systems, ordered array detectors, hazardous environment imaging, medical, research and defense.

Bundles can be provided with non-metallic hardware and/or be non-magnetic.


Their numerical aperture is typically 0.63 standard lengths range from 610 mm to 4500 mm.

SCHOTT can also produce custom image guide assemblies in vertical or horizontal formats required to meet non-standard imaging applications.

Bundles come with standard “C” mount adaptors on each end.



Standard Wound Image Guide Lens Configurations



Available Lenses



10 X Eyepiece



SCHOTT
IG-1660 1:1
Relay Lens



IG-1643 1.5:1
Relay Lens



IG-1650 1:1
Relay Lens



MORITEX- SCHOTT
Mega Pixel CCTV Lenses ML-MP
Series.



Version 01.2013

All specifications are subject to change without prior notice.
This datasheet or any extracts thereof may only be used in other
publications with express permission of SCHOTT.
© SCHOTT North America, Inc.

Lighting and Imaging
SCHOTT North America, Inc.
122 Charlton Street
Southbridge, MA 01550
USA
Phone: +1 (508) 765-9744
Fax: +1 (508) 765-1299
www.us.schott.com/lightingimaging
lightingimaging@us.schott.com

SCHOTT
glass made of ideas